

Safety Data Sheet**Katun PN 51139**

1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier:**

Product name: T-FC415E-M

e-STUDIO2515AC , e-STUDIO3015AC , e-STUDIO3515AC , e-STUDIO4515AC , e-STUDIO5015AC

SDS NO. TFC415EMEN-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Toner for electrophotographic equipment

1.3 Details of the supplier of the safety data sheet

Manufacturer Toshiba Tec Corporation

Address: Gate City Ohsaki West Tower 1-11-1, Osaki, Shinagawa-ku, Tokyo, 141-8562, Japan

Telephone number: +81-3-6830-9100

Supplier

Toshiba Tec Germany Imaging Systems GmbH

Address: CARL-SCHURZ-STR. 7, D-41460 NEUSS GERMANY

Telephone No.+49-2131-1245-0

Email address: info@toshibatec-tgis.com

(European Headquarters)

Emergency telephone No. +1-703-527-3887 (collect calls accepted) (CHEMTREC)

Toshiba Tec U.K. Imaging Systems Limited

Address: Abbey Cloisters, Abbey Green, Chertsey, KT16 8RB

Telephone No. +44-1932-580100 For calls within UK only.

Email address: info@toshibatec.co.uk.

2. Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No.1272/2008 [CLP]

HEALTH HAZARDS

Acute toxicity (Oral): Out of classification

Acute toxicity (Inhalation): Out of classification

Skin corrosion/irritation: Out of classification

Eye damage/eye irritation : Out of classification

Skin sensitization: Out of classification

Germ cell mutagenicity: Out of classification

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment (Acute): Out of classification

(Note) GHS classification without description: Not classified/Classification not possible

2.2 Label elements

No GHS label element

No Signal word

2.3 Other hazards

The product does not contain any ingredient designated as PBT and/or vPvB.

The product does not contain any ingredients designated as Endocrine disrupting properties.

3. Composition/information on ingredients

Mixture/Substance selection:

3.2 Mixture

Ingredient name	Content (%)	CAS No.	EC No.
Polyester resin	75-85	-----	-----
Organic Pigment	<9	-----	-----
Wax	<9	-----	-----
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	1-5	68909-20-6	272-697-1
Titanium dioxide	<1	13463-67-7	236-675-5

----- TRADE SECRET

Titanium dioxide; Classification according to Regulation (EC) No. 1272/2008 (CLP) : Carc.2, H351(inhalation)

Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide; Classification according to Regulation (EC) No. 1272/2008 (CLP) : STOT RE2, H373(lungs)(inhalation)

Components contributing to the hazard

The product does not contain any ingredients listed in REACH SVHC candidate list.

4. First-aid measures**4.1 Descriptions of first-aid measures**

Inhalation

Remove from exposure area to fresh air immediately.

Contact a physician if there is any difficulty in breathing or other signs of distress.

Skin Contact

Wash with soap and water.

If irritation occurs or is persistent, seek medical attention.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation persists, call a physician.

Ingestion

Dilute stomach contents with several glasses of water.

4.2 Most important symptoms and effects, both acute and delayed

Specific information on symptom and effect are unknown.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Foam, carbon dioxide, dry chemical, water fog

Unsuitable extinguishing media

None

5.2 Special Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters

Wear protective gloves/protective clothing/eye protection/face protection.

6. Accidental release measures**6.1 Personnel precautions, protective equipment and emergency procedures**

Wear proper protective equipment.

Avoid breathing dust.

6.2 Environmental precautions

Do not wash away into sewers or waterway.

6.3 Methods and materials for containment and cleaning up

Sweep slowly spilled toner/developer and carefully transfer into a waste container.

Choose a dust explosion-proof type if you use the vacuum cleaner.

6.4 Reference to other sections

Refer to section 13

7. Handling and storage

7.1 Precautions for safe handling

Preventive measures

Do not breathe dust.

(Exhaust/ventilator)

No special ventilation equipment is needed under intended use.

7.2 Storage

Conditions for safe storage

Keep cool.

Store in a dry place.

Keep out of the reach of children.

7.3 Specific end use(s)

Toner for electrophotographic equipment

8. Exposure controls/personal protection

8.1 Control parameters

ACGIH

(Titanium dioxide)

ACGIH(1992) TWA: 10mg/m3 (LRT irr)

OSHA-PEL

(Titanium dioxide)

TWA 15mg/m3

(as the product)

TWA 15mg/m3(Total dust)

5mg/m3(Respirable fraction)

DFG-MAK

(as the product)

4mg/m3 (Inhalable fraction)

1.5mg/m3 (Respirable fraction)

8.2 Exposure controls

Individual protection measures

Respiratory protection

Not required under intended use.

Hand protection

Not required under intended use.

Eye protection

Not required under intended use.

Skin and body protection

Not required under intended use.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state: Powder/granule

Color: Magenta

Odor: Slight odor

Melting point/Freezing point: 110-150 (Softening point)°C

Boiling point or initial boiling point data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit: Not applicable

Flash point: Not applicable

Auto-ignition temperature: Not applicable

Decomposition temperature: Not applicable

pH data is not available.

Kinematic viscosity: Not applicable

Solubility:

Solubility in water: Insoluble

n-Octanol/water partition coefficient: Not applicable

Vapor pressure data is not available.

Density and/or relative density: 1.1-1.5g/cm³

Particle characteristics:

Size distribution (range): <10µm

9.2 Other information

9.2.2 Other safety characteristics

Explosive Properties

Little possibility in intended use.

According to Explosive Evaluation, can form explosive dust-air mixtures when finely dispersed in air, like most finely grained organic powder.

10. Stability and Reactivity

10.1 Reactivity

Reactivity data is not available.

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

Conditions to avoid data is not available.

10.5 Incompatible materials

None

10.6 Hazardous decomposition products

None

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

LD₅₀ > 2,000mg/kg

(This was the highest attainable mass.)

Acute toxicity (Dust/Mists inhalation), Product

LC₅₀ >5.04mg/l

(This was the highest attainable concentration.)

Irritant properties

Skin corrosion/irritation

Non-irritant.

Serious eye damage/irritation

Minimally irritating.

Sensitization

Skin sensitization

Non-sensitizer

Germ cell mutagenicity

Ames test :Negative

Carcinogenicity

(Titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human carcinogen).

In animal chronic inhalation studies, carcinogenicity was observed in only specific rats.

This is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Epidemiological study to date has not revealed any evidence of the relation between work exposure of titanium dioxide and respiratory diseases.

Reproductive toxicity data is not available.

STOT

Chronic Effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group. These findings are attributed to "lung overloading", a general response to excessive amounts of any dust retained in the lungs for a prolonged period.

Aspiration hazard data is not available.

11.2 Information on other hazards

Endocrine disrupting properties is not available.

12. Ecological Information

12.1 Ecotoxicity

Aquatic toxicity

LC50 is greater than 100mg/L (fish)

EC50 is greater than 100mg/L (daphnia)

EC50 is greater than 100mg/L (Algae)

12.2 Persistence and degradability

Persistence and degradability data is not available.

12.3 Bioaccumulative potential

Bioaccumulative potential data is not available.

12.4 Mobility in soil

Mobility in soil data is not available.

12.5 Results of PBT and vPvB assessment

PBT and/or vPvB assessment data is not available.

12.6 Endocrine disrupting properties

Endocrine disrupting properties is not available.

12.7 Other adverse effects

Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

13.1 Waste treatment methods

Dispose of in accordance with local, state and federal regulations.

Empty plastic container may be recycled.

14. Transport Information

UN No., UN CLASS

14.1 UN No. or ID No.: Not applicable

14.2 UN Proper Shipping Name : Not applicable

14.3 Class or division (Transport hazard class) : Not applicable

14.4 Packing group : Not applicable

Land DOT 49 CFR,ADR :Not classified as Dangerous Goods

Sea IMDG Code :Not classified as Dangerous Goods

Air ICAO-TI,IATA-DGR :Not classified as Dangerous Goods

14.5 Environmental hazards

MARPOL Annex III - Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

14.6 Special precautions for user

Special precautions for user is not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable to Maritime transport in bulk according to IMO instruments

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product does not contain any ingredients listed in REACH SVHC candidate list.

US/Canada Information

Toxic Substance Control Act (TSCA)

All chemical substances in this product comply with all applicable rules or orders under TSCA.

California Proposition 65

Not regulated.

OSHA Hazard Communication Standard, 29CFR 1910.1200

Not regulated.

RCRA (40 CFR 261)

Product or components not listed.

CERCLA/SARA Information

Not regulated.

NTP Annual Report on Carcinogens

Not listed as an NTP carcinogen.

Hazardous Products Regulations (Canada)

This product has been classified in accordance with the hazard criteria of the HPR.

Workplace Hazardous Materials Information System (Canada)

No toxicology information available.

EU Information

Regulation (EC) No.1907/2006 (REACH)

All chemical substances in this product comply with all applicable rules or order under REACH.

Australian Information

Not classified as hazardous according to criteria of NOHSC

The substance is being imported or manufactured under a permit granted under section 21U of the Industrial Chemicals (Notification and Assessment) Act 1989

NewZealand Information

Not classified as hazardous according to criteria of HSNO

China Information

Regulations on Safe Management on Hazardous Chemicals (China Decree 591)

All chemical substances in this product comply with all applicable rules or orders under

China Decree 591.

15.2 Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

16. Other information

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2021 TLVs and BEIs. (ACGIH)

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats

H.Muhle et.al; Fundamental and Applied Toxicology 17.280-299(1991)

Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic

Inhalation Exposure in Rats

B.Bellmann; Fundamental and Applied Toxicology 17.300-313(1991)

Definitions and Abbreviations

OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA)

ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA)

DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TWA stands for Time Weighted Average

IARC stands for International Agency for Research on Cancer

NTP stands for National Toxicology Program (USA)

DOT stands for Department of Transportation (USA)

NOHSC stands for National Occupational Health and Safety Commission (Australia)

ADG stands for Australian Dangerous Goods

Restrictions

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.