

400ml Duster flammable

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier **Katun PN 54601**

Trade name/designation 400ml Duster flammable

Chemical name

Product-type Mixture

Product code 54601

UFI: AY00-R0CP-X00V-33NX

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Aerosols

1.3 - Details of the supplier of the safetydatasheet

Katun (E.D.C.) B.V.

De Prinsenhof 11

4004 LN Tiel, The Netherlands

e-mail adress: KatunCompliance@katun.com

Tel.: +31(0) 183 696969

1.4 - Emergency telephone number

Germany: Intoxications Information Center; +49 76 119 240 Switzerland:

Swiss Toxicological Information Centre; +41 44 25 15 15 1 Austria:

Intoxication information center; +43 1 40 64 3 43

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aerosol 1	Aerosol - Category 1
-----------	----------------------

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word : Danger

Hazard pictograms



Hazard statements

H222	Extremely flammable aerosol
------	-----------------------------

H229	Pressurised container: May burst if heated
------	--

Precautionary statements

P102	Keep out of reach of children.
------	--------------------------------

P103	Read carefully and follow all instructions.
------	---

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
------	--

P211	Do not spray on an open flame or other ignition source.
------	---

400ml Duster flammable

P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P251	Do not pierce or burn, even after use.
EUH-phrases	: None

2.3 - Other hazards

PBT-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
butane	CAS No. : 106-97-8 Index No. : 601-004-00-0 EC No. : 203-448-7	65	Flam. Gas 1 - H220 Press. Gas	Not applicable
propane	CAS No. : 74-98-6 Index No. : 601-003-00-5 EC No. : 200-827-9	35	Flam. Gas 1 - H220 Press. Gas	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation - Provide fresh air.

Following skin contact - When in doubt or if symptoms are observed, get medical advice.

After eye contact - Rinse immediately carefully and thoroughly with eye-bath or water.
- In case of eye irritation consult an ophthalmologist.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - No information available.

Symptoms and effects - Following skin contact - No information available.

Symptoms and effects - After eye contact - No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- In case an intoxication is suspected, National Poisons Information Centre should be addressed immediately, number of Emergency telephone see in section 1.4.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media - ABC-powder
- Carbon dioxide (CO2)

400ml Duster flammable

- Foam
- Extinguishing powder

Unsuitable extinguishing media

- Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- No information available.

Hazardous decomposition products

- No information available.

5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Provide adequate ventilation.
- Remove all sources of ignition.

For emergency responders

- No information available.

6.2 - Environmental precautions

- No information available.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment

- No information available.

Methods and material for cleaning up

- Ventilate affected area.

Inappropriate techniques

- No information available.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation

- It is recommended to design all work processes always so that the following is excluded: Generation/formation of dust
- It is recommended to design all work processes always so that the following is excluded: generation/formation of aerosols
- Vapours can form explosive mixtures with air.
- When using do not smoke.
- Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
- Use only in well-ventilated areas.

Advices on general occupational hygiene

- No information available.

400ml Duster flammable

7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed and in a well-ventilated place.
- Do not store together with: Combustible substance
- Protect against: Heat

7.3 - Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

butane (106-97-8)	
IOELV TWA mg/m ³ (UE)	1450 mg/m ³
IOELV TWA ppm (UE)	600 ppm
TWA EH40 ppm (UK)	600 ppm
TWA EH40 mg/m ³ (UK)	1450 mg/m ³
STEL EH40 ppm (UK)	750 ppm
STEL EH40 mg/m ³ (UK)	1810 mg/m ³

8.2 - Exposure controls

Appropriate engineering controls - No information available.

Individual protection measures, such as personal protective equipment - Suitable protective clothing: lab coat



SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

Physical state Colour	gaseous colourless	Appearance Odour	Aerosol characteristic
Odour threshold		No data available	
pH		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		< -20 °C	
Flash point		< -20 °C	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		1.8 % Vol.	
Upper explosion limit		8.4 % Vol.	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		No data available	
Density		0.56 kg/l	
Solubility (Water)		No data available	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	

400ml Duster flammable

Solubility (Organic solvents)	No data available
Log KOC	No data available
Auto-ignition temperature	365 °C
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Particle characteristics

Particle size	No data available
---------------	-------------------

9.2 - Other information

VOC content	100 %
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- In case of warming: Ignition hazard

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- No information available.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

400ml Duster flammable

Toxicity : Substances

propane (74-98-6)	
LC50 inhalation (rat)	> 800000 ppmV
LC50 inhalation vapours (rat)	20 mg/l
butane (106-97-8)	
LC50 inhalation (rat)	> 800000 ppmV
LC50 inhalation vapours (rat)	658 mg/l

Skin corrosion/irritation - Not classified

Serious eye damage/eye irritation - Not classified

Respiratory or skin sensitisation - Not classified

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

Reproductive toxicity - Not classified

STOT-single exposure - Not classified

STOT-repeated exposure - Not classified

Aspiration hazard - Not classified

11.2 - Information on other hazards

- This substance does not have endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity : Substances

propane (74-98-6)	
LC50 96 hr fish	24.11 mg/l < V < 147.54 mg/l
ErC50 algae	7.71 mg/l < V < 16.5 mg/l
ErC50 other aquatic plants	7.02 mg/l < V < 69.43 mg/l
butane (106-97-8)	
LC50 96 hr fish	24.11 mg/l < V < 147.54 mg/l
ErC50 algae	7.71 mg/l < V < 16.5 mg/l

400ml Duster flammable

ErC50 other aquatic plants	7.02 mg/l < V < 69.43 mg/l
----------------------------	----------------------------

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

12.7 - Other adverse effects

- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods	- Dispose of waste according to applicable legislation.
Sewage disposal	- No information available.
Special precautions for waste treatment	- No information available.
Community or national or regional provisions	- No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR)	:	UN1950
UN number (RID)	:	UN1950
UN number (ADN)	:	UN1950
UN number (IMDG)	:	UN1950
UN number (IATA)	:	UN1950

14.2 - UN proper shipping name

400ml Duster flammable

UN proper shipping name (ADR) : AEROSOLS
UN proper shipping name (RID) : AEROSOLS
UN proper shipping name (ADN) : AEROSOLS
UN proper shipping name (IMDG) : AEROSOLS
UN proper shipping name (IATA) : AEROSOLS, FLAMMABLE

14.3 - Transport hazard class(es)

ADR Transport hazard class(es) : 2
ADR Classification code: : 5F
Pictograms



Transport hazard class(es) (RID) : 2
Pictograms



Transport hazard class(es) (ADN) : 2
Pictograms



Transport hazard class(es) (IMDG) : 2
Pictograms



Transport hazard class(es) (IATA) : 2
Pictograms



14.4 - Packing group

400ml Duster flammable

Packing group :
Packing group (RID) :
Packing group (ADN) :
Packing group (IMDG) :
Packing group (IATA) :

14.5 - Environmental hazards

Environmental hazards : No
Marine pollutant : No

14.6 - Special precautions for user

ADR

ADR Classification code: : 5F
ADR Special provisions : 190+327+344+625
ADR Limited quantity (LQ) : 1L
ADR Excepted quantities : E0
ADR Packing instructions : P207 LP200
ADR Special packing provisions : PP87 RR6 L2
ADR Mixed packing provisions : MP9
Instructions for portable tanks and bulk containers :
Special provisions for portable tanks and bulk containers :
ADR tank code :
ADR tanks special provisions :
Vehicle for tank carriage :
ADR Transport category : 2
ADR Tunnel restriction code : D
ADR Special provisions loading, unloading and handling : CV9 CV12
Special provisions - Packages : V14
Special provisions - Bulk :
Special provisions - Operation : S2
ADR Hazard identification number (Kemler No.) :

RID

Special provisions :
Limited quantity (LQ) :
Excepted quantities :

ADN

Special provisions :
Limited quantity (LQ) :
Excepted quantities :

400ml Duster flammable

IMDG

Special provisions	:	63 190 277 327 344 381 959
Limited quantity (LQ)	:	
Excepted quantities	:	E0
Packing instructions	:	P207 LP200
Special packing provisions	:	PP87 L2
IBC instruction(s)	:	
IBC provisions	:	
Instructions for portable tanks and bulk containers	:	
Special provisions for portable tanks and bulk containers	:	
EmS codes	:	F-D, S-U
Stowage and handling	:	Category None SW1 SW22
Segregation	:	SG69
Properties and observations	:	

IATA

PCA - Excepted quantities	:	E0
PCA - Limited Quantity - Packing Instructions	:	Y203
PCA - Limited Quantity - Maximum Net Quantity per Package	:	30kg
PCA - Packing Instructions	:	203
PCA - Maximum Net Quantity per Package	:	75kg
CAO - Packing Instructions	:	203
CAO - Maximum Net Quantity per Package	:	150kg
Special Provisions	:	A145 A167 A802
ERG Code	:	10L

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates	None
Substances Annex XIV	None
Substances Annex XVII	None
VOC content	100 %

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
1	2/1/2023		

Texts of the regulatory sentences

400ml Duster flammable

Aerosol 1	Aerosol - Category 1
Flam. Gas 1	Flammable gas. - Category 1
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
Press. Gas	Gases under pressure

*** **