

## 1-Identification of the substance/preparation and of the company/undertaking

- **1.1 Product identifier**

**Product description:** EPS WF-C5390 INK CTG MAG 5K LA

**Katun part number:** 61585

- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Application of the substance/the preparation :** Ink-Jet Printing

- **1.3 Supplier of the safety data sheet**

Katun Corporation

7760 France Avenue South

Suite 340

Minneapolis, MN 55435 USA

Phone: 952-941-9505

- **Emergency Phone:** 800-424-9300 (Chemtrec)

## 2-Hazards Identification

- **2.1 Classification of the substance or mixture:**

This product is not classified as hazard substance according to the EC Regulation 1272/2008(CLP).

- **Regulation 1272/2008(CLP) and following amendments and adjustments.**

Hazard classification and indication: --

- **2.2 Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008(CLP) and subsequent amendments and supplements.

Hazard pictograms:--

Signal words: --

Hazard statements: --

Precautionary statements:

P101 If medical advice is needed have product container or label at hand.

P102 Keep out of reach of children.

# Safety Data Sheet

Katun 61585

Information Sheet

Revision 2.0

Page 2 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

## • 2.3 Other hazards

Information not available.

## 3-Composition/Information on Ingredients

### • 3.1 Substances Information not available.

### • 3.2 Mixtures

Containing of the following components. The classification is mainly based on pure substance. The concentration of the substance in the mixture is very lower than the pure substance. The main substance in the mixture is water.

CAS No / EC No	Components / Formula / classification / Specific Conc. Limits, M-factors	Range of concentration
Trade secret	Magenta Pigment	0.1%-5%
	/	
CAS: 111-46-6 EC: 203-872-2	Diethylene glycol C <sub>4</sub> H <sub>10</sub> O <sub>3</sub>	0.1%-5%
	Acute Tox.4 H302	
CAS: 107-21-1 EC: 203-473-3	Ethylene glycol C <sub>2</sub> H <sub>6</sub> O <sub>2</sub>	0.1%-4%
	Acute Tox. 4 H302	
CAS: 143-22-6 EC: 205-592-6	Triethylene glycol monobutyl ether C <sub>10</sub> H <sub>22</sub> O <sub>4</sub>	0.1%-9%
	Eye Dam. 1 H318	
	Eye Dam. 1 H318: C ≥ 30% Eye Irrit. 2 H319: 20% ≤ C < 30%	
CAS: 9014-85-1 EC: 689-121-3	Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol	0.1%-0.9%
	/	
CAS: 7732-18-5	Water H <sub>2</sub> O	50%-90%
	/	

## 4-First Aid Measures

### • 4.1 Description of first aid measures

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 3 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

**In case of contact, ingestion or inhalation, the following general measures provided for a first aid shall be taken.**

- **After eyes contact:**

Do not rub eyes. Immediately flush eyes with large amounts of clean, warm water (low pressure) for at least 15 minutes. If the irritation persists, seek medical advice.

- **After skin contact:**

Immediately wash affected areas with mild soap and water. If the irritation persists, seek medical advice.

- **After ingestion:**

Ingestion is not an expected route of exposure during normal use of the product. If ingested, seek medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

- **After inhalation:**

Remove to fresh air. If respiration is difficult, administer artificial respiration and seek medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

Follow doctor's orders.

## 5- Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing media:**

Dry chemical, carbon dioxide, water spray or regular foam.

- **Extinguishing media which shall not be used for safety reasons:** No Information Available.

- **5.2 Special hazards arising from the substance or mixture:**

Product is a nonflammable water-based solution.

Hazardous combustion products (gases/vapors) produced in fire can include carbon monoxide, carbon dioxide, nitrogen oxides, and smoke.

- **Flash point and method:** >93.3°C (200°F) Closed Cup

# Safety Data Sheet

Katun PN 61553

Information Sheet

Revision 2.0

Page 4 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

• **Approximate Flammable Limits in Air ,%by Volume:** Not available

• **Autoignition Temperature:** Not available

• **5.3 Advice for firefighters**

This product is not flammable. Use normal firefighting procedures for the area.

## 6-Accidental Release Measures

• **6.1 Personal precautions, protective equipment and emergency procedures**

Wear appropriate personal protective measures, avoid contact eyes and skin. Keep unprotected persons away.

• **6.2 Environmental precautions**

The product must not penetrate the sewer system, surface water, ground water and neighbouring areas. Avoid birds or fish ingestion from drainage system, please thoroughly recycle.

• **6.3 Methods and material for containment and cleaning up**

Transfer the leaked products to container. Absorb with inert absorbent such as dry, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Flush a small amount of residue with large amounts of water and detergent.

• **6.4 Reference to other sections**

Any information about personal protection and disposal is given in sections 8 and 13.

## 7 - Handling and Storage

• **7.1 Information for safe handling**

Wear appropriate personal protective measures, avoid contact eyes and skin.

Ventilation is well and far away from heat.

• **Information about fire-and explosion protection**

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away. Do not smoke.

Protect against electrostatic charges.

• **7.2 Conditions for safe storage, including any incompatibilities**

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 5 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

- **Requirements to be met by storerooms and receptacles:**

Keep away from excessively alternate heat and cold, direct sunniness.

Keep away from strong acid, strong base and strong oxidizing agent.

Keep away from incompatible substance or mixtures.

Store in a cool, dry, ventilated area.

- **Further information about storage conditions:**

Keep container tightly sealed.

Keep out of the reach of children.

- **7.3 Specific end use(s)**

No further relevant information available.

## 8-Exposure Controls, Personal Protection

- **8.1 Control parameters**

No further relevant information available.

- **8.2 Exposure controls**

- **Information about design of technical facilities:**

To provide proper ventilation, use adequate general or local exhaust ventilation.

- **Ingredients with limit values that require monitoring at the workplace:** No data available

- **Personal protective equipment:**

- **Respiratory protection:**

Respirators are not needed for normal use.

- **Eye/Face protection:**

Wear safety glasses. Wear coverall chemical splash goggles and face shield when the possibility exists for eye and face contact due to splashing or spraying of the material.

- **Body protection:**

If there is potential for significant dermal contact, wear appropriate impervious clothing and gloves.

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 6 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

## 9-Physical and Chemical Properties

### • 9.1 Information on basic physical and chemical properties

• Physical state Liquid

• Colour Magenta

• Odour Slight

Odour threshold No data available

### • Melting point/freezing point:

Melting point No data available

Freezing point No data available

### • Boiling point or initial boiling

point and boiling range: No data available

• Flammability No data available

• Lower and upper explosion limit No data available

• Flash point  $>93.3^{\circ}\text{C}$  ( $>200^{\circ}\text{F}$ ) Pensky-Martens Closed Cup

• Auto-ignition temperature No data available

• Decomposition temperature No data available

• pH 7-9

• Kinematic viscosity  $>1\text{cp}$

• Solubility Soluble in water

### • Partition coefficient

n-octanol/water (log value) No data available

• Vapour pressure No data available

### • Density and/or relative density:

Density at  $20^{\circ}\text{C}$  ( $68^{\circ}\text{F}$ )  $1\text{ g/cm}^3$  ( $>8.345\text{ lbs/gal}$ )  
SG: 1.3-1.8

• Relative vapour density No data available

• Particle characteristics Not applicable

### • 9.2 Other information

#### • 9.2.1 Information with regard to physical hazard classes

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 7 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

No further relevant information available.

## • 9.2.2 Other safety characteristics

No further relevant information available.

## 10-Stability and Reactivity

### • 10.1 Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### • 10.2 Chemical stability

The product is stable in normal conditions of use and storage.

### • 10.3 Possibility of hazardous reactions

Polymerization will not occur.

No hazardous reactions are foreseeable in normal conditions of use and storage.

### • 10.4 Conditions to avoid

No further relevant information available.

### • 10.5 Incompatible materials

No further relevant information available.

### • 10.6 Hazardous decomposition products

No decomposition reaction occurs in normal conditions of use and storage.

## 11-Toxicological Information

### • 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### • Acute toxicity

Diethylene glycol

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : No data available

LC50 (rat, inhalation/4 hr.) : No data available

Ethylene glycol

PEL (OSHA) : None Established

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 8 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

TLV (ACGIH) : None Established

LD50 (rat, oral) : 7 712 mg/kg (RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

Triethylene glycol monobutyl ether

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : 5 000 - 11 300 mg/kg (RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : No data available

LC50 (rat, inhalation/4 hr.) : No data available

WATER

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : No data available

LC50 (rat, inhalation/4 hr.) : No data available

- **Skin corrosion/irritation**

Does not meet the classification criteria for this hazard class.

- **Serious eye damage/irritation**

Does not meet the classification criteria for this hazard class.

- **Respiratory or skin sensitisation:**

Does not meet the classification criteria for this hazard class.

- **Germ cell mutagenicity**

Does not meet the classification criteria for this hazard class.

- **Carcinogenicity**

Does not meet the classification criteria for this hazard class.

- **Reproductive toxicity**



# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 9 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

Does not meet the classification criteria for this hazard class.

- **STOT-single exposure**

Does not meet the classification criteria for this hazard class.

- **STOT-repeated exposure**

Does not meet the classification criteria for this hazard class.

- **Aspiration hazard**

Does not meet the classification criteria for this hazard class.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

- **Other information**

No further relevant information available.

## 12-Ecological Information

- **12.1 Toxicity**

No further relevant information available.

- **12.2 Persistence and degradability**

No further relevant information available.

- **12.3 Bioaccumulative potential**

No further relevant information available.

- **12.4 Mobility in soil**

No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

No further relevant information available.

- **12.6 Endocrine disrupting properties**

No further relevant information available.

- **12.7 Other adverse effects**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 10 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13-Disposal Considerations

### • 13.1 Waste treatment methods

#### • Product:

Do not discharge into environment, directly. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

#### • Package

Contaminated or damaged package must be recovered or disposed of in compliance with national waste management regulations.

## 14-Transport Information

- **14.1 UN number or ID number** Not applicable.
- **14.2 UN proper shipping name** Not applicable.
- **14.3 Transport hazard class(es)** Not applicable.
- **14.4 Packing group** Not applicable.
- **14.5 Environmental hazards** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Information not relevant.

## 15-Regulatory Information

### • 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

CLP category None

Restrictions relating to the product or contained substances pursuant to Table 3.1 to EC

Regulation 1272/2008(CLP) None

Substances in Candidate List(SVHC in REACH) None

### • 15.2 Chemical safety assessment

# Safety Data Sheet

Katun PN 61585

Information Sheet

Revision 2.0

Page 11 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

A Chemical Safety Assessment has not been carried out.

## 16-Additional Information

- **Other information:**

This SDS was prepared in accordance with CLP Regulation (EC) No.1272/2008, EU No 2015/830, EC No 1907/2006, REACH, GB/T16483-2008 and GB13690-2009.

- **Disclaimer:**

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

- **Abbreviations and acronyms:**

**ACGIH:** American Conference of Governmental Industrial Hygienists

**CAS:** Chemical Abstracts Service

**CLP:** Classification, Labeling and Packaging of substances and mixtures

**SVHC:** Substances of Very High Concern

**REACH:** Registration, Evaluation, Authorization and Restriction of Chemicals

**DOT:** Department of transportation

**EC:** Effective concentration

**EC50:** Effective concentration, 50 percent

**EINECS:** European Inventory of Existing Chemical Substance

**IAIA:** International Association for Impact Assessment

**ICAO:** International Civil Aviation Organization

**IMO:** International Maritime Organization

**IMDG:** International Maritime Dangerous Goods

**LC50:** Lethal concentration, 50 percent

**LD50:** Lethal dose, 50 percent

**NOEC:** No Observed Effect Concentration

**OSHA:** Occupational Safety and Health Administration (U.S.A.)

**STEL:** Short Term Exposure Limit

**TWA:** Time Weighted Average

# Safety Data Sheet

**Katun PN 61585**

Information Sheet

Revision 2.0

Page 12 of 12

Date of issue: 7/8/2023

Revised: 29/3/2024

---

**TLVTN:** Threshold Limit Value

**VOC:** Volatile Organic Compounds